PARACEL LABORATORIES LTD.
TRUSTED. RESPONSIVE. RELIABLE.

300 - 2319 St. Laurent Blvd
Ottawa, ON, K1G 4J8
1-800-749-1947
www.paracellabs.com

Certificate of Analysis

Ontario Power Generation Inc.

14000 Niagara Parkway RR#1
Niagara-on-the-Lake, ON L0S 1J0
Attn: Nancy Laser

Client PO:
Project: 239761
Custody:

Report Date: 11-Sep-2015
Order Date: 4-Sep-2015

Order #: 1536313

This Certificate of Analysis contains analytical data applicable to the following samples as submitted:

Paracel ID	Client ID
1536313-01	1
1536313-02	2
1536313-03	3
1536313-04	4
1536313-05	5
1536313-06	6
1536313-07	7
1536313-08	8
1536313-09	9
1536313-10	10
1536313-11	11
1536313-12	12
1536313-13	13
1536313-14	14
1536313-15	15
1536313-16	16

Approved By: Mark Foto

Mark Foto, M.Sc.
Lab Supervisor

Any use of these results implies your agreement that our total liabilty in connection with this work, however arising, shall be limited to the amount paid by you for this work, and that our employees or agents shall not under any circumstances be liable to you in connection with this work.

Certificate of Analysis

Report Date: 11-Sep-2015

Client: **Ontario Power Generation Inc.**

Order Date:4-Sep-2015

Client PO:

Project Description: 239761

Analysis Summary Table

Analysis	Method Reference/Description	Extraction Date	Analysis Date
REG 558 - Cyanide	MOE E3015- Auto Colour	10-Sep-15	10-Sep-15
REG 558 - Fluoride	EPA 340.2 - ISE	10-Sep-15	9-Sep-15
REG 558 - Mercury by CVAA	EPA 7470A - Cold Vapour AA	11-Sep-15	11-Sep-15
REG 558 - Metals, ICP-MS	EPA 6020: ICP-MS, digestion	10-Sep-15	10-Sep-15
REG 558 - NO3/NO2	EPA 300.1 - IC	10-Sep-15	9-Sep-15
REG 558 - PCBs	EPA 608 - GC-ECD	10-Sep-15	10-Sep-15
REG 558 - VOCs	EPA 624 - P&T GC-MS	7-Sep-15	8-Sep-15
Solids, %	Gravimetric, calculation	10-Sep-15	10-Sep-15

Certificate of Analysis

Report Date: 11-Sep-2015

Client: **Ontario Power Generation Inc.**

Order Date:4-Sep-2015

Client PO:

Project Description: 239761

	Client ID:	1	2	3	4
	Sample Date:	02-Sep-15	02-Sep-15	02-Sep-15	02-Sep-15
	Sample ID:	1536313-01	1536313-02	1536313-03	1536313-04
	MDL/Units	Soil	Soil	Soil	Soil
Physical Characteristics					
% Solids	0.1 % by Wt.	95.2	98.0	94.0	96.9
EPA 1311 - TCLP Leachate Inorganics					
Arsenic	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Barium	0.05 mg/L	0.26	0.26	0.24	0.23
Boron	0.05 mg/L	0.24	0.11	0.06	0.07
Cadmium	0.01 mg/L	<0.01	<0.01	<0.01	<0.01
Chromium	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Lead	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Mercury	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
Selenium	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Silver	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Uranium	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Fluoride	0.05 mg/L	0.31	0.33	0.31	0.29
Nitrate as N	1 mg/L	<1	<1	<1	<1
Nitrite as N	1 mg/L	<1	<1	<1	<1
Cyanide, free	0.02 mg/L	<0.02	<0.02	<0.02	<0.02
EPA 1311 - TCLP Leachate Organics					
Benzene	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
Carbon Tetrachloride	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
Chlorobenzene	0.004 mg/L	<0.004	<0.004	<0.004	<0.004
Chloroform	0.006 mg/L	<0.006	<0.006	<0.006	<0.006
1,2-Dichlorobenzene	0.004 mg/L	<0.004	<0.004	<0.004	<0.004
1,4-Dichlorobenzene	0.004 mg/L	<0.004	<0.004	<0.004	<0.004
1,2-Dichloroethane	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
1,1-Dichloroethylene	0.006 mg/L	<0.006	<0.006	<0.006	<0.006
Methyl Ethyl Ketone (2-Butanone)	0.30 mg/L	<0.30	<0.30	<0.30	<0.30
Methylene Chloride	0.04 mg/L	<0.04	<0.04	<0.04	<0.04
Tetrachloroethylene	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
Trichloroethylene	0.004 mg/L	<0.004	<0.004	<0.004	<0.004
Vinyl chloride	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
4-Bromofluorobenzene	Surrogate	90.4%	93.9%	90.9%	85.8%
Dibromofluoromethane	Surrogate	94.3%	85.0%	90.1%	91.6%
Toluene-d8	Surrogate	90.9%	89.2%	86.2%	88.0%
PCBs, total	0.003 mg/L	<0.003	<0.003	<0.003	<0.003
Decachlorobiphenyl	Surrogate	114%	106%	114%	117%

Certificate of Analysis

Report Date: 11-Sep-2015

Client: **Ontario Power Generation Inc.**

Order Date:4-Sep-2015

Client PO:

Project Description: 239761

	Client ID:	5	6	7	8
	Sample Date:	02-Sep-15	02-Sep-15	02-Sep-15	02-Sep-15
	Sample ID:	1536313-05	1536313-06	1536313-07	1536313-08
	MDL/Units	Soil	Soil	Soil	Soil
Physical Characteristics					
% Solids	0.1 % by Wt.	95.2	97.1	96.1	97.5
EPA 1311 - TCLP Leachate Inorganics					
Arsenic	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Barium	0.05 mg/L	0.26	0.16	0.18	0.21
Boron	0.05 mg/L	0.05	0.06	0.07	0.16
Cadmium	0.01 mg/L	<0.01	<0.01	<0.01	<0.01
Chromium	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Lead	0.05 mg/L	<0.05	0.05	<0.05	<0.05
Mercury	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
Selenium	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Silver	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Uranium	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Fluoride	0.05 mg/L	0.33	0.43	0.29	0.37
Nitrate as N	1 mg/L	<1	<1	<1	<1
Nitrite as N	1 mg/L	<1	<1	<1	<1
Cyanide, free	0.02 mg/L	<0.02	<0.02	<0.02	<0.02
EPA 1311 - TCLP Leachate Organics					
Benzene	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
Carbon Tetrachloride	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
Chlorobenzene	0.004 mg/L	<0.004	<0.004	<0.004	<0.004
Chloroform	0.006 mg/L	<0.006	<0.006	<0.006	<0.006
1,2-Dichlorobenzene	0.004 mg/L	<0.004	<0.004	<0.004	<0.004
1,4-Dichlorobenzene	0.004 mg/L	<0.004	<0.004	<0.004	<0.004
1,2-Dichloroethane	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
1,1-Dichloroethylene	0.006 mg/L	<0.006	<0.006	<0.006	<0.006
Methyl Ethyl Ketone (2-Butanone)	0.30 mg/L	<0.30	<0.30	<0.30	<0.30
Methylene Chloride	0.04 mg/L	<0.04	<0.04	<0.04	<0.04
Tetrachloroethylene	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
Trichloroethylene	0.004 mg/L	<0.004	<0.004	<0.004	<0.004
Vinyl chloride	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
4-Bromofluorobenzene	Surrogate	89.4%	105%	105%	108%
Dibromofluoromethane	Surrogate	96.0%	109%	114%	118%
Toluene-d8	Surrogate	84.6%	94.8%	95.0%	95.0%
PCBs, total	0.003 mg/L	<0.003	<0.003	<0.003	<0.003
Decachlorobiphenyl	Surrogate	124%	126%	128%	122%

Certificate of Analysis

Report Date: 11-Sep-2015

Client: **Ontario Power Generation Inc.**

Order Date:4-Sep-2015

Client PO:

Project Description: 239761

	Client ID:	9	10	11	12
	Sample Date:	02-Sep-15	02-Sep-15	02-Sep-15	02-Sep-15
	Sample ID:	1536313-09	1536313-10	1536313-11	1536313-12
	MDL/Units	Soil	Soil	Soil	Soil
Physical Characteristics					
% Solids	0.1 % by Wt.	97.1	97.7	97.0	95.9
EPA 1311 - TCLP Leachate Inorganics					
Arsenic	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Barium	0.05 mg/L	0.29	0.43	0.23	0.21
Boron	0.05 mg/L	0.05	<0.05	0.07	0.20
Cadmium	0.01 mg/L	<0.01	<0.01	<0.01	<0.01
Chromium	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Lead	0.05 mg/L	<0.05	<0.05	<0.05	0.09
Mercury	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
Selenium	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Silver	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Uranium	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Fluoride	0.05 mg/L	0.29	0.41	0.39	0.52
Nitrate as N	1 mg/L	<1	<1	<1	<1
Nitrite as N	1 mg/L	<1	<1	<1	<1
Cyanide, free	0.02 mg/L	<0.02	<0.02	<0.02	<0.02
EPA 1311 - TCLP Leachate Organics					
Benzene	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
Carbon Tetrachloride	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
Chlorobenzene	0.004 mg/L	<0.004	<0.004	<0.004	<0.004
Chloroform	0.006 mg/L	<0.006	<0.006	<0.006	<0.006
1,2-Dichlorobenzene	0.004 mg/L	<0.004	<0.004	<0.004	<0.004
1,4-Dichlorobenzene	0.004 mg/L	<0.004	<0.004	<0.004	<0.004
1,2-Dichloroethane	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
1,1-Dichloroethylene	0.006 mg/L	<0.006	<0.006	<0.006	<0.006
Methyl Ethyl Ketone (2-Butanone)	0.30 mg/L	<0.30	<0.30	<0.30	<0.30
Methylene Chloride	0.04 mg/L	<0.04	<0.04	<0.04	<0.04
Tetrachloroethylene	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
Trichloroethylene	0.004 mg/L	<0.004	<0.004	<0.004	<0.004
Vinyl chloride	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
4-Bromofluorobenzene	Surrogate	107%	105%	106%	108%
Dibromofluoromethane	Surrogate	116%	114%	116%	112%
Toluene-d8	Surrogate	90.6%	90.4%	93.6%	92.4%
PCBs, total	0.003 mg/L	<0.003	<0.003	<0.003	<0.003
Decachlorobiphenyl	Surrogate	128%	101%	126%	132%

Certificate of Analysis

Report Date: 11-Sep-2015

Client: **Ontario Power Generation Inc.**

Order Date:4-Sep-2015

Client PO:

Project Description: 239761

	Client ID:	13	14	15	16
	Sample Date:	02-Sep-15	02-Sep-15	02-Sep-15	02-Sep-15
	Sample ID:	1536313-13	1536313-14	1536313-15	1536313-16
	MDL/Units	Soil	Soil	Soil	Soil
Physical Characteristics					
% Solids	0.1 % by Wt.	96.4	95.0	94.9	96.2
EPA 1311 - TCLP Leachate Inorganics					
Arsenic	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Barium	0.05 mg/L	0.33	0.26	0.32	0.64
Boron	0.05 mg/L	0.06	0.07	<0.05	0.15
Cadmium	0.01 mg/L	<0.01	<0.01	<0.01	<0.01
Chromium	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Lead	0.05 mg/L	<0.05	0.07	<0.05	<0.05
Mercury	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
Selenium	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Silver	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Uranium	0.05 mg/L	<0.05	<0.05	<0.05	<0.05
Fluoride	0.05 mg/L	0.25	0.37	0.24	0.30
Nitrate as N	1 mg/L	<1	<1	<1	<1
Nitrite as N	1 mg/L	<1	<1	<1	<1
Cyanide, free	0.02 mg/L	<0.02	<0.02	<0.02	<0.02
EPA 1311 - TCLP Leachate Organics					
Benzene	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
Carbon Tetrachloride	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
Chlorobenzene	0.004 mg/L	<0.004	<0.004	<0.004	<0.004
Chloroform	0.006 mg/L	<0.006	<0.006	<0.006	<0.006
1,2-Dichlorobenzene	0.004 mg/L	<0.004	<0.004	<0.004	<0.004
1,4-Dichlorobenzene	0.004 mg/L	<0.004	<0.004	<0.004	<0.004
1,2-Dichloroethane	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
1,1-Dichloroethylene	0.006 mg/L	<0.006	<0.006	<0.006	<0.006
Methyl Ethyl Ketone (2-Butanone)	0.30 mg/L	<0.30	<0.30	<0.30	<0.30
Methylene Chloride	0.04 mg/L	<0.04	<0.04	<0.04	<0.04
Tetrachloroethylene	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
Trichloroethylene	0.004 mg/L	<0.004	<0.004	<0.004	<0.004
Vinyl chloride	0.005 mg/L	<0.005	<0.005	<0.005	<0.005
4-Bromofluorobenzene	Surrogate	103%	88.9%	104%	115%
Dibromofluoromethane	Surrogate	112%	115%	107%	110%
Toluene-d8	Surrogate	92.1%	84.7%	90.5%	97.8%
PCBs, total	0.003 mg/L	<0.003	<0.003	<0.003	<0.003

Certificate of Analysis

Report Date: 11-Sep-2015

Client: **Ontario Power Generation Inc.**

Order Date:4-Sep-2015

Client PO:

Project Description: 239761

	Client ID:	13	14	15	16
	Sample Date:	02-Sep-15	02-Sep-15	02-Sep-15	02-Sep-15
	Sample ID:	1536313-13	1536313-14	1536313-15	1536313-16
	MDL/Units	Soil	Soil	Soil	Soil
Decachlorobiphenyl	Surrogate	119%	130%	122%	130%

Method Quality Control: Blank

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
EPA 1311 - TCLP Leachate Inorganics									
Arsenic	ND	0.05	mg/L						
Barium	ND	0.05	mg/L						
Boron	ND	0.05	mg/L						
Cadmium	ND	0.01	mg/L						
Chromium	ND	0.05	mg/L						
Lead	ND	0.05	mg/L						
Mercury	ND	0.005	mg/L						
Selenium	ND	0.05	mg/L						
Silver	ND	0.05	mg/L						
Uranium	ND	0.05	mg/L						
Fluoride	ND	0.05	mg/L						
Nitrate as N	ND	1	mg/L						
Nitrite as N	ND	1	mg/L						
Cyanide, free	ND	0.02	mg/L						
EPA 1311 - TCLP Leachate Organics									
Benzene	ND	0.005	mg/L						
Carbon Tetrachloride	ND	0.005	mg/L						
Chlorobenzene	ND	0.004	mg/L						
Chloroform	ND	0.006	mg/L						
1,2-Dichlorobenzene	ND	0.004	mg/L						
1,4-Dichlorobenzene	ND	0.004	mg/L						
1,2-Dichloroethane	ND	0.005	mg/L						
1,1-Dichloroethylene	ND	0.006	mg/L						
Methyl Ethyl Ketone (2-Butanone)	ND	0.30	mg/L						
Methylene Chloride	ND	0.04	mg/L						
Tetrachloroethylene	ND	0.005	mg/L						
Trichloroethylene	ND	0.004	mg/L						
Vinyl chloride	ND	0.005	mg/L						
Surrogate: 4-Bromofluorobenzene	*0.578*		*mg/L*		*84.0*	*83-134*			
Surrogate: Dibromofluoromethane	*0.585*		*mg/L*		*85.0*	*78-124*			
Surrogate: Toluene-d8	*0.577*		*mg/L*		*83.8*	*76-118*			
PCBs, total	ND	0.003	mg/L						
Surrogate: Decachlorobiphenyl	*0.0103*		*mg/L*		*103*	*62-138*			

Method Quality Control: Duplicate

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
EPA 1311 - TCLP Leachate Inorganics									
Arsenic	ND	0.05	mg/L	ND			0.0	29	
Barium	0.738	0.05	mg/L	0.763			3.3	34	
Boron	0.126	0.05	mg/L	0.152			18.5	33	
Cadmium	ND	0.01	mg/L	ND			0.0	33	
Chromium	0.057	0.05	mg/L	0.066			14.3	32	
Lead	ND	0.05	mg/L	ND			0.0	32	
Mercury	ND	0.005	mg/L	ND			0.0	20	
Selenium	ND	0.05	mg/L	ND			0.0	28	
Silver	ND	0.05	mg/L	ND			0.0	28	
Uranium	ND	0.05	mg/L	ND			0.0	27	
Fluoride	0.31	0.05	mg/L	0.31			0.4	20	
Nitrate as N	ND	1	mg/L	ND				20	
Nitrite as N	ND	1	mg/L	ND				20	
Cyanide, free	ND	0.02	mg/L	ND				20	
EPA 1311 - TCLP Leachate Organics									
Carbon Tetrachloride	ND	0.005	mg/L	ND				25	
Chlorobenzene	ND	0.004	mg/L	ND				25	
Chloroform	ND	0.006	mg/L	ND				25	
1,2-Dichlorobenzene	ND	0.004	mg/L	ND				25	
1,4-Dichlorobenzene	ND	0.004	mg/L	ND				25	
1,2-Dichloroethane	ND	0.005	mg/L	ND				25	
1,1-Dichloroethylene	ND	0.006	mg/L	ND				25	
Methyl Ethyl Ketone (2-Butanone)	ND	0.30	mg/L	ND				25	
Methylene Chloride	ND	0.04	mg/L	ND				25	
Tetrachloroethylene	ND	0.005	mg/L	ND				25	
Trichloroethylene	ND	0.004	mg/L	ND				25	
Vinyl chloride	ND	0.005	mg/L	ND				25	
Surrogate: 4-Bromofluorobenzene	*0.675*		*mg/L*	*ND*	*98.1*	*83-134*			
Surrogate: Dibromofluoromethane	*0.556*		*mg/L*	*ND*	*80.8*	*78-124*			
Surrogate: Toluene-d8	*0.605*		*mg/L*	*ND*	*87.9*	*76-118*			
PCBs, total	ND	0.003	mg/L	ND				30	
Surrogate: Decachlorobiphenyl	*0.0116*		*mg/L*	*ND*	*116*	*62-138*			
Physical Characteristics									
% Solids	95.1	0.1	% by Wt.	95.2			0.1	25	

Method Quality Control: Spike

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
EPA 1311 - TCLP Leachate Inorganics									
Arsenic	51.6		ug/L	2.86	97.4	83-119			
Barium	126		ug/L	76.3	99.0	83-116			
Boron	54.7		ug/L	15.2	78.9	71-128			
Cadmium	45.4		ug/L	0.647	89.6	78-119			
Chromium	47.6		ug/L	6.61	82.0	80-124			
Lead	48.1		ug/L	ND	96.6	77-126			
Mercury	0.0326	0.005	mg/L	ND	109	78-134			
Selenium	47.3		ug/L	0.930	92.8	81-125			
Silver	42.9		ug/L	0.147	85.4	70-128			
Uranium	52.7		ug/L	0.430	105	70-131			
Fluoride	0.79		mg/L	0.31	96.0	70-130			
Nitrate as N	1		mg/L	0.01	96.1	81-112			
Nitrite as N	1		mg/L	ND	98.8	76-107			
Cyanide, free	0.024	0.02	mg/L	ND	79.5	60-136			
EPA 1311 - TCLP Leachate Organics									
Carbon Tetrachloride	0.038	0.005	mg/L	ND	95.6	49-149			
Chlorobenzene	0.033	0.004	mg/L	ND	82.3	64-137			
Chloroform	0.037	0.006	mg/L	ND	92.7	58-138			
1,2-Dichlorobenzene	0.035	0.004	mg/L	ND	87.2	60-150			
1,4-Dichlorobenzene	0.036	0.004	mg/L	ND	89.0	63-132			
1,2-Dichloroethane	0.039	0.005	mg/L	ND	96.3	50-140			
1,1-Dichloroethylene	0.038	0.006	mg/L	ND	95.6	43-153			
Methyl Ethyl Ketone (2-Butanone)	0.110	0.30	mg/L	ND	110	26-153			
Methylene Chloride	0.037	0.04	mg/L	ND	93.3	58-149			
Tetrachloroethylene	0.034	0.005	mg/L	ND	84.4	51-145			
Trichloroethylene	0.042	0.004	mg/L	ND	104	52-135			
Vinyl chloride	0.038	0.005	mg/L	ND	94.0	31-159			
Surrogate: 4-Bromofluorobenzene	*0.0708*		*mg/L*		*88.5*	*83-134*			
PCBs, total	0.091	0.003	mg/L	ND	113	86-145			

Qualifier Notes:

None

Sample Data Revisions

None

Work Order Revisions / Comments:

None

Other Report Notes:

n/a: not applicable
ND: Not Detected
MDL: Method Detection Limit
Source Result: Data used as source for matrix and duplicate samples
%REC: Percent recovery.
RPD: Relative percent difference.

Soil results are reported on a dry weight basis when the units are denoted with 'dry'.
Where %Solids is reported, moisture loss includes the loss of volatile hydrocarbons.

ONTARIO POWER GENERATION

Niagara Operations

1536313

Request for Chemical Analysis

Rev 04 SCI: NPG-07292

Send Samples to:	PARACEL LABORATORIES LTD. 360 York Road Niagara-On-The-Lake Laboratory Contact: Bev Homeniek Phone: (905) 682-9300 Fax: Email:			**Purchase Order No:** 239761 **Niagara Order Number to Charge Work to:**
Client Information	Ontario Power Generation 14000 Niagara Parkway RR#1 NOTL ON L0S 1J0			
Contact Person(s):	Name and Location: Nancy Laser	905-357-0322 Ext 6956	Fax:	Email: nancy.laser@opg.com
Sample(s) Description and Location Collected: **Soil Samples from Glenn Access Roadway** Soil samples 1 to 16				☐ **RUSH** turn around time is next day ☐ **ACCELERATED** turn around time in 2 days X **NORMAL** turn around time in 4 days
Special Instructions / Comments: **Niagara Walkers**				**Sample Collected in Field by: NL** **Date Sampled: Sept 2/15** **Number of Samples: 16**

In Lab Sample No.	In Field Sample Identification	Date and Time Collected	**Analysis Required**	**Detection Limits (or better)**
			Niagara Walkers	

Relinquished By: Nancy Laser 3-Sept-15 7:59am email — **Received in Laboratory By:**

Received in Depot By: Bev Homeniek 3-Sept-15 8:37am — **Verified By:**

Send Additional Copies of Results to: **Nicole Elliott** email: **nicole.elliott@opg.com** **Nancy Laser** email: **nancy.laser@opg.com**

Mark Lada (Asbestos & Designated Substances) email: mark.lada@opg.com

*** 5 ml required for Oil**

Please note: Required volume of sample and proper sampling containers must be followed dependent on what is being sampled. Please contact the Environment Department for clarification.

250 Soil jars.